

## Zircar Zirconia, Inc. P.O. Box 287 Florida, NY 10921-0287 (845)651-3040 Emergency (845)258-9148 www.zircarzirconia.com

# **Safety Data Sheet**

Document #: Rev.: Date: **SDS-108** 01 9/12/2017

1. Product Identification

Product Types: ZYF-S Synonym: Yttria Stabilized Zirconia Silica Loaded Felt

2. Hazards Identification

Classification of Substance or Mixture Classification (GHS-US):H350, H372

**GHS Label Elements** 

Hazard Pictograms (GHS-US)



Signal Word (GHS-US): Danger

**Hazard Statements:** H350

May cause cancer. H372

Causes damage to organs through prolonged or repeated exposure.

**Precautionary Statements** 

P201/202 Do not handle until safety precautions and instructions are understood.

P260 Do not breathe dust.

P264 Wash hands, forearms, and other exposed areas thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. P271

P280 Wear protective gloves, protective clothing, and eye protection.

P304/340 If inhaled dust may cause irritation or soreness of throat and nose. Remove

person to fresh air and keep at rest in a position for comfortable breathing. P308/313/312If exposed or concerned: Get medical advice/ attention, or call poison center.

Dispose of contents/ container in accordance with local, regional, national, and

international regulations.

Hazards not otherwise classified: Exposure may aggravate those with pre-existing eye,

skin, or respiratory conditions.

3. Composition

•	mposition .						
	Component	Synonyms	CAS Number	% by Weight	Classification (GHS-US)		
	Yttria Stabilized Zirconia Fibers	YSZ	308076-80-4	100-50	None		
	Silica (crystalline)	Quartz	14808-60-7	0-50	H350, H372		

P501

#### 4. First Aid Measures

Inhalation: Remove to fresh air. Rinse mouth to clear throat and expel liquid. Blow nose to evacuate dust. Consult a physician if irritation persists.

Eye Contact: Do not rub eyes. Keep hands or contaminated body parts away from eyes. Remove contact lenses. Flush with water. If irritation persists, consult a physician.

Skin Contact: Wash with soap and water. For dryness, a skin cream may be helpful. Do not apply anything to a rash. Consult a physician if irritation persists

**Ingestion:** Do not induce vomiting without advice of a physician. Seek medical attention.

#### 5. Fire-Fighting Measures: Product is not flammable. Special Hazards arising from the substance: None A 6. Accidental Release Measures: Clean up with a sponge, mop or damp cloth. When dried, clean up minimizing airborne dust. Advice for firefighters: None

#### Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid contact with skin, eyes, or clothing. Avoid breathing dust.

For Non-Emergency Personnel: Use appropriate personal protection equipment (PPE), gloves, glasses, dust mask.

For Emergency Responders: Equip cleanup crew with proper protection. Ventilate area.

Environmental Precautions: None.

References to Other Sections: See section 8. Exposure Controls/ Personal Protection. For waste disposal refer to section 13.

#### 7. Handling and Storage

#### Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

Machining and cutting: These materials may produce nuisance dust when machined or cut.

#### Conditions for Safe Storage, Including any Incompatibilities

Storage conditions: These materials are stable and may be stored indefinitely.

Incompatible Products: Powerful oxidizers; fluorine, chlorine trifluoride, manganese trioxide, oxygen difluoride, etc.

Specific End Use: Insulation

#### 8. Exposure Controls/ Personal Protection

### Control Parameters

There is no specific OSHA Permissible Exposure Limit (PEL) or ACGIH Threshold Limit Value (TLV) for Yttria Stabilized Zirconia Fibers, CAS# 308076-80-4. Because Zircar zirconia fibers have diameters of 6-10 microns they are larger than respirable.

Silica (Quartz) OSHA PEL as 8 hr TWA	50μg/m <sup>3</sup>
--------------------------------------	---------------------

Appropriate Engineering Controls: Ensure adequate ventilation. Emergency eye wash should be available. Ensure regulations are observed.

Personal Protective Equipment: Protective goggles, gloves, protective clothing. Dust formation: dust mask type N95.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use.

### 9. Physical and Chemical Properties

Physical State	Solid, Felt Auto ignition Temperature  White Decomposition Temperature		-			
Color						
Odor	Odorless	Flammability (solid, gas)				
Odor Threshold		Vapor Pressure				
pH		Relative Vapor Density at 20C	No data available			
Evaporation Rate	No data available	Relative Density				
Melting/ Freezing Point		Solubility				
Boiling Point		Partition Coefficient: N-Octanol/ Water				
Flash Point		Viscosity				
 Stability and Desetivity						

#### 10. Stability and Reactivity

Reactivity: Hazardous reactions will not occur under normal conditions. Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Incompatible Materials: Powerful oxidizers: fluorine, chlorine trifluoride, magnesium trioxide, oxygen difluoride, etc.

Hazardous Decomposition Products: None.

11. Toxicological Information: May cause cancer. IARC Group 1, known human carcinogen, OSHA Hazard communication carcinogen list.

Epidemiology: No Information Available Distribution: Zirconia, yttria, and silica are naturally occurring and widely distributed in igneous rock. Deposits in sedimentary rock Chemical Fate Information: The relative inertness of this material indicates that it may be highly persistent in the environment. No information regarding any negative effects of this persistence has been noted

- 12. Ecological Information: Ecological data are not available.
- 13. Disposal Considerations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.
- 14. Transportation Information: Not regulated hazardous substances, no specific regulations apply.

#### 15. Regulatory Information

WHMIS Status: This is a Class D2A, very toxic, controlled product based on silica.

California Proposition 65: Proposition 65 lists all substances classified by the IARC as a Category 1, 2A or 2B carcinogen, including Silica/ Quartz.

SARA Section 313 Supplier Notification: This product does contain silica quartz (CAS# 14808-60-7) subject to the reporting requirements of the Superfund Amendments and Reauthorization Act of 1986 Section 313 (40 CFR 372).

16. Other Information: The information contained herein is based on data considered to be accurate as of the preparation or revision date. It is provided in good faith and in compliance with state and federal regulations. No warranty or representation, express or implied is made as to the accuracy or completeness of this information. Other national, state and/or local regulations may apply.